

**Notice of Allowability**

Application No.

10/761,259

Examiner

Jerrold Johnson

Applicant(s)

CHEN, LIANG-JI

Art Unit

3728

**-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--**

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to Amendment 13 March 2006.
2. ☒ The allowed claim(s) is/are 1, 2 and 5.
3. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some\* c) ☐ None of the:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

\* Certified copies not received: \_\_\_\_\_.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.  
**THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.**

4. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
5. ☐ CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
- (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
- 1) ☐ hereto or 2) ☐ to Paper No./Mail Date \_\_\_\_\_.
- (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date \_\_\_\_\_.
- Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
6. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

**Attachment(s)**

- |   |   |
|---|---|
| 1. <input type="checkbox"/> Notice of References Cited (PTO-892)  | 5. <input type="checkbox"/> Notice of Informal Patent Application (PTO-152)           |
| 2. <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948)                                | 6. <input type="checkbox"/> Interview Summary (PTO-413),<br>Paper No./Mail Date _____ |
| 3. <input type="checkbox"/> Information Disclosure Statements (PTO-1449 or PTO/SB/08),<br>Paper No./Mail Date _____ | 7. <input type="checkbox"/> Examiner's Amendment/Comment                              |
| 4. <input type="checkbox"/> Examiner's Comment Regarding Requirement for Deposit<br>of Biological Material          | 8. <input type="checkbox"/> Examiner's Statement of Reasons for Allowance             |
|   | 9. <input type="checkbox"/> Other _____   |

### **EXAMINER'S AMENDMENT**

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it **MUST** be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Mr. David I. Klein on 23 March 2006.

The application has been amended as follows:

Claim 1, line 11, after "area" insert —defined by the absence of a front wall in the area—.

Claim 1, line 15, after "base" insert—within the entire range of movement of the memo block base—.

The following is an examiner's statement of reasons for allowance:

Regarding claim 1, neither Fuchs US 3,953,090 nor Shapira US 3,425,595 disclose an open frontal area in the manner now claimed, nor would it be logical to remove the front wall of either of these references as both references disclose devices which rely on a front wall to retain a stack of elements dispensed from the device. Accordingly, a loss of functionality would result from the removal of the front wall of the devices. Additionally, Fuchs explicitly teaches the reason for his protrusions 13 being of a short length, and lengthening the protrusions runs counter to the objectives of his

Art Unit: 3728

design. In short, Fuchs teaches away from lengthening the protrusions 13. Regarding providing it could be argued that references such as Hinterreiter US 4,966,305 might provide a basis for including grooves/recesses into the structure of Shapira. Such an argument would, however, be weak as the necessity of such grooves/recesses is evident only in dispensers where alignment is of an utmost necessity, i.e. where the dispensing will not perform properly in the absence of an alignment. That situation is not the case in Shapira (as is evidenced in Fig. 6 of Fuchs). Accordingly, the rationale behind adding grooves/recesses to Shapira would be suspect, and such a modification would necessarily also need be accompanied by two other modifications: the replacement of the spring in his device with opposing magnets, as well as the removal of the front wall, which was described previously. The Examiner submits that the totality of such modifications in this situation would not be reasonable.

For the aforementioned reasons, claim 1 is allowable over the prior art of record.

Claim 5 is clearly allowable over the prior art of record.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."


Any inquiry concerning this communication or earlier communications from the examiner should be directed to Jerrold Johnson whose telephone number is 571-272-7141. The examiner can normally be reached on 9:30 to 6:00 M-F.

Art Unit: 3728

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Mickey Yu can be reached on 571-272-4562. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

JDJ 



Mickey Yu  
Supervisory Patent Examiner  
Group 3700